



IPR-IX30-MDF

Sirius iX30 card reader MIFARE/DESFire

DESCRIPTION

The Sirius iX30 is compatible with a variety of passes and tags. This card reader is generic and suitable for any situation. The Sirius iX30 also provides support for several reader technologies at the same time. Its shape ideally lends itself for mounting on doorposts.

The Sirius iX30 reader has the same features as its predecessor, Sirius i30, with some new additions and is available in de colors black and champagne. You can take a look at our gallery for an impression of both colors.

FEATURES

Buzzer Control

Tamper Output

Removable connector

Dip switch

2.4 GHz antenna for Mobile Access

Ultra-fast response time

Light guide with LED Technologoy

Scratch Resistance

Click & Go





Power	
supply voltage	5- 16VDC (max: 1,4W)
Measure	
Housing	142 x 45 x 22 mm
Environment	
	IDEE.
Rating	IP55
Operating temp	-40 - 65C (industrial grade)
Operating humid	5 - 95% relative humidity, non-condensing
Storage temp	-40 - 85C
Interface	
Header	9 pin plug
Simplex (read only)	Wiegand, Clock/Data
RS485	Half duplex
	Compatible with RS485 standard, Polyx, Orion and Apollo. (Configuration with DIP switches)
Frequencies	
13,56MHz	Card detection
2,4GHz band	Mobile Access
Cards	
Standard	ISO 14443-A
Туре	Mifare Classic, Mifare DESFire 0.6, EV1 and EV2
Distance	20-70mm (normal operation)
Mobile Access	
Standard	2,4GHz
Туре	TKH Security Mobile Access
Distance	0-5 m
Main header inputs	
LED	With internal pull-up (switch to GND)
Buzzer	(3.3V, <1mA, over voltage protected)
buzzer	(3.3V, < ITMA, over voltage protected)
Main header output	
Tamper	
Clock/data- Wiegand	Open collector without pull-up (max 500 mA, over voltage protected (vcc))
User interface	
	PCP lad / Light quide
Optic	RGB led / Light guide
Sound	Multi tone buzzer, 85dB at 1 m

Specs



User interface	
Certification	ElectricEMC / CE
Variants	
801-5301	TKH Coded
801-5302	CSN
801-5303	Programmable
Colours	
xxx-xxxx-C	Champagne
xxx-xxxx-B	Black











































RELATED




Sirius IPR-I80-MDF

Sirius i80



Sirius IPR-I80P-MDF

Sirius i80p card reader pin pad MIFARE/DESFire



IPS-ACC ACCESS



iProtect iProtect Security

IPS-SEC



iProtect 512-0100

KP Virtual Card Network



iProtect IPC-Orion

Orion Door controller



Sirius 801-510X

Sirius i30



Sirius iPR-iX30-IK10

Sirius iX30-IK card reader MIFARE/DESFire