

## SEI-T8122TI-180



**Bullet IP, 4x2MP, 4K(8MP), Panoramic 180°, ICR, STARLIGHT, LEDs 20mt, IP67/IK10, POE, H.265, ADVANCED VCA A.**

- 4K Resolution for super detailed images
- Support 180-degree panoramic view
- Advanced Analytics with car\human\bike classification
- H265 for high compression rate and stable stream control
- Built-in SD card reader for message recording in case of no answer
- Block of access after multiple login failed tentatives
- System Log preserved after system reset
- Request to modify password at first login

### Summary

Skilleye is a new brand of Professional CCTV products, a perfect combination of high quality and cost effective prices. Skilleye was created to answer to installer needs, from retail to Pharmacy, offices or hotels, you can be sure to find the right product. High quality components, regular and severe tests, a large range, these are the secrets of Skilleye.

## Technical Specifications

<b>Image Sensor</b>	1/2,8" Starlight Progressive Scan CMOS
<b>Pixels - Total</b>	Panorama: 4096(H)x1800(V) , 4 fulhd senior
<b>Video Resolution</b>	4096(H)x1800(V), 25Fps
<b>Scanning System</b>	Progressive
<b>Col/B</b>	On/Off/Auto, IR-cut filter removable (ICR)
<b>Sensitivity B/W</b>	0 Lux LED IR on, 0.001 lux
<b>Lens Focal Length</b>	3.3mm
<b>Iris F-Number</b>	F 2.0
<b>Iris Operation</b>	Auto, Manual, Fixed Iris
<b>Horizontal Viewing Angle</b>	180°
<b>Shutter Speed</b>	1 ~ 1/10.000 sec
<b>Max. IR Distance</b>	20 m
<b>WDR</b>	D-WDR (Digital wide dynamic range)
<b>White Balance</b>	Auto / Manual
<b>AGC</b>	Auto, Manual
<b>Digital Noise Reduction</b>	Auto (3D-DNR), 2D DNR (Off/On)
<b>De-Fog</b>	Off/On
<b>Video Compression</b>	H.264, H.265, MJPEG, Triple Streaming
<b>ONVIF compliant</b>	Profile S, Profile G
<b>Max. Users</b>	10
<b>SD memory</b>	supports up to 128 GB capacity of micro TF Card
<b>Alarm</b>	Input: 1 / Output: 1
<b>Audio Inputs</b>	1 in Mic
<b>Audio Outputs</b>	1 OUT MIC
<b>Audio Compression</b>	G.711 a/u
<b>Advanced Video Analytics</b>	Advanced video Analytics A: Area intrusion\line crossing with Object Classification (Human, Vehicle, Bike). Remove object, Face detection&tracking, crowd detection, people counting, car counting, heat mapping, human & face tracking.
<b>VCA Distance</b>	Human: 8 m, Vehicle: 15 m
<b>Intelligent Video Analytics</b>	Tampering, Motion Detection, Network Disconnect, IP Address Conflict, Storage exception
<b>Web Browser</b>	All major browsers are supported

**Technical Specifications**

<b>Network Protocol</b>	TCP/IP, UDP, DHCP, NTP, RTSP, PPPoE, DDNS, SMTP,FTP
<b>Network Interface</b>	1x 10/100 Base T/TX (RJ-45)
<b>Interfaces</b>	RS-485
<b>Supply Voltage</b>	12 Vdc / PoE (IEEE 802.3af)
<b>Protection Rating</b>	IK10, IP67
<b>Firmware Upgrade</b>	Firmware upgrade by Web Browser
<b>Operating Temperature</b>	-30° C ~ +60° C
<b>Humidity</b>	less than 95%
<b>Dimensions ( W x H x D)</b>	288.4 x 159.7 x 96 mm - 11.35 x 6.29 x 3.78 In
<b>Power Consumption (W)</b>	10
<b>Weight</b>	2.1 kg - 4.63 lbs