V D G



NVH-1504XR

Video server 19", 4U, 4 bay HS, Xeon, SSD, RAID, RPSU

DESCRIPTION

The NVH-1504XR is a powerful, 4U, rack-mounted VDG Sense server. The hard- and software of the NVH-1504XR is selected for a standalone VDG Sense Server. The hardware consist only of top-quality components from third party manufacturers as Asus, Western Digital and Intel.

FEATURES

4U Compact Server Chassis

Standalone server

4x 3.5" hot swappableHDD bays

Standard RAID 5configuration

OS RAID 1 configuration (optional)

Supports PS/2 single and 1+1 redundant PSU (optional)

Quad Ethernet (1gb/s) ports

Front-side USB ports for easy access (2x USB 2.0)

Slide rail included





The front-mounted hard-drives are configured for hot-swapping, as are the cooling fans, to ensure 24/7 operation. This means that they are easy to service and can reduce running costs. The reliability is ensured through a standard RAID 1 configuration for OS redundancy, and RAID 5 configuration for data redundancy, but can be configured otherwise if necessary. Redundant power supply included.

Optional expansions:

- VDG Video server storage
- NVH-GBLAN for 1 extra Ethernet connection port
- Ethernet server adapter fiber



System						
Operating system	Microsoft Windows 10 Pro 64-bit					
Hard disk	128GB SSD (included)					
Raid configuration	Standard Raid 5 configuration (RAID config options : 0, 1, 5, 6, 10 and hot-spare)					
Processor	Intel Xeon E2200 processor					
Chipset	Intel C242 Chipset					
Memory	16GB memory					
Network Interface	4×1 GbE LAN + $1 \times M$ gmt LAN (operable in combination with NVH-RMMv2)					
	LAN controller supports 100Base-T, 1000Base-T					
RAID controller	12Gb/s SAS and SATA RAID controller					
Video output	VGA					
Drive bay	4 x 3.5" Hot swap					
Mechanical						
Form Factor	4U 19-inch Rack Mount					
Dimensions (DxWxH)	562 mm x 430 mm x 176 mm (22.1 x 16.9 x 6.9)					
Electrical						
Power Input	100-240VAC,50/60Hz 5A					
Power Supply	650W Single (standard)					
Tone: eapp.y	500W Redundant power supply (upgrade)					
Power Consumption	250W					
Environmental						
	F° C 40° C (41°E 104°E)					
Operating Temperature	5° C - 40° C (41°F - 104°F)					
Storage Temperature NVH-1504XR	-40° C - 65° C (-40°F - 149°F)					
Supplied Accessories	Video server 19", 4U, 4 bay HS, i7, SSD, RAID USB Compact Keyboard					
Supplied Accessories	USB Optical Mouse					
	Power Cord 1.5 meter					
	Slide rail					
	Sinde Fall					
VDG Server accessories						
NVH-QUAD	Quad mini displayport/DVI-D output					
NVH-GBLAN	Extra 100/1000Mbps LAN interface					
NVH-I350F2	Ethernet server adapter fiber					
NVH-RPSU-500W	Redundant PSU for NVH-1504IR (to replace standard NVH-1504IR PSU)					
Basic video server storage	NVH-81TB NVH-82TB NVH-83TB NVH-84TB NVH-86TB NVH-88TB NVH-810TE					
(incl. assembly and config)	1TB 2TB 3TB 4TB 6TB 8TB 10TB					
Pro video server storage	NVH-92TB NVH-94TB NVH-96TB NVH-98TB					
(incl. assembly and config)	2TB 4TB 6TB 8TB					
(incl. assernory and cornig)	NVH-910TB NVH-912TB NVH-914TB NVH-916TB NVH-918TB					

Specs



10TB	12TB	14TB	16TB	18TB	











RELATED



Intel NVH-GBLAN

A PCI Express Ethernet adapter perfect for expanding your Ethernet port(s).



VDG

Video server 19", 4U, 4 bay HS, Xeon, SSD, RAID, RPSU



WesternDigital NVH Pro Server Storage

Professional server storage for the most demanding storage environments.