



NVH-2004X

Video Server, 19", 2u, 2 bays, Xeon, SSD.

DESCRIPTION

The NVH-2004X is an efficient and powerful server system, fitted with the latest top-brand components. Useable in a 19" Rack mountable configuration, the NVH-2004X guarantees a reliable performance, built for 24/7 runtime. Part of a complete VDG Sense configuration, the NVH-2004X is the perfect 19" Rack mountable Client.

FEATURES

2U Rack-mountableclient

Dual Intel I210AT Gigabit Ethernet with teaming support

Powered by the Intel Xeon E platform

Internal drive bay for 2 x 3.5" HDD

Slide Rail





| System | | | | | | |
|---------------------------------------|--|---------------------------------|-----------|-----------|-----------|--|
| Operating system | Microsoft Windows 11 Pro 64-bit | | | | | |
| Hard disk OS | NVMe 128GB SSD (included) | | | | | |
| Raid configuration | Non | | | | | |
| Processor | Intel Xeon E2300 processor | | | | | |
| Chipset | Intel C256 Chipset | | | | | |
| Memory | 16GB memory DDR4 | | | | | |
| Network Interface | 2 x 1GbE LAN + 1 x Mgmt LAN | | | | | |
| | LAN controller supports 100Base-T, 1000Base-T | | | | | |
| TPM | TPM 2.0 | TPM 2.0 | | | | |
| Management | Remote management module included | | | | | |
| RAID controller | 12Gb/s SAS and SATA RAID controller | | | | | |
| Video output | VGA (HDMI outp | VGA (HDMI output not supported) | | | | |
| Drive bay | 2 x 3.5 HDD internal | | | | | |
| Mechanical | | | | | | |
| Form Factor | 2U 19-Inch Rack mount | | | | | |
| Dimensions (DxWxH) | 457,2mm x 429,26 mm x 88,9mm (18"x 16,9" x 3,5") | | | | | |
| Electrical | | | | | | |
| Power Input | 100-240VAC, 50/ | /60Hz 45A | | | | |
| Power Supply | 300W Single | | | | | |
| Power Consumption | 150W | | | | | |
| · ever consumption | | | | | | |
| Environmental | | | | | | |
| Operating Temperature | 5° C - 40° C (41°F - 104°F) | | | | | |
| Storage Temperature | -40° C - 65° C (-40°F - 149°F) | | | | | |
| Ordering Info | | | | | | |
| NVH-2004 | Video client 19" 2u 2 have i7 SSD | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | |
| Supplied Accessories | | USB Optical Mouse | | | | |
| | · | Power Cord 1.5 meter | | | | |
| | | Slide rail for NVH-2004 | | | | |
| | Slide rall for INVH | Silde fall for 1991 1-2004 | | | | |
| VDG Server accessories | | | | | | |
| Pro video server storage | NVH-92TB | NVH-9 | ATR | NVH-96TB | NVH-98TB | |
| | | | טוד | | | |
| (incl. assembly and config) | 2TB | 4TB | | 6TB | 8TB | |
| | NVH-910TB NV | VH-912TB | NVH-914TB | NVH-916TB | NVH-918TB | |
| | 10TB 12 | ?TB | 14TB | 16TB | 18TB | |



NVH-2004





FRONT





RELATED



TKH Security NVH-RAID1-OS

Disk mirroring of the Operating system of a NVH-****X or NVH-****XR server



WesternDigital NVH Pro Server Storage

Professional server storage for the most demanding storage environments.